

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB  
6349/1, NICHOLSON ROAD, AMBALA CANTT


Result Down's syndrome screening

Name	MRS. ANJANA	Sample no	101901280063	IVF	unknown
Patient ID : 101901280063		Weight	57 kg	Smoking	unknown
		Fetuses	1	diabetes	unknown
Doctor	KOS DIAGNOSTIC LAB	Birthday	30-03-1997	Ethnic origin	Asian
		Age at delivery	22	Day of serum taking	28-01-2019
		Previous trisomy pregnancies	21 unknown	Date of report:	30-01-2019

Corrected MoM's and calculated risks

Sample Date	28-01-2019	Parameter	Value	Corr. MoM
Gestation age on the day of serum taking	17 +6	AFP	58.7 ng/ml	1.08
Method	LMP	uE3	1.1 ng/ml	1.05
		HCG	32579 mIU/ml	1.18
		Inh-A	232 pg/mL	1.07

Comment



**Tr.21 risk**  
at term  
1:8449

**Age risk**  
at term  
1: 1451

**Neural tube defects risk**  
The corrected MoM AFP (1.08) is located in the low risk area for neural tube defects.

**Risk for trisomy 18**  
The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.