
KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening								
Name		Sample ID	1810220361/AMB	diabetes	unknown			
MRS. MANJIT		D.O.B.	25/12/1986	Fetuses	1			
Patient ID		Age at delivery	32.0	Smoker	unknown			
Day of serum taking	09-03-2019	Weight [kg]	41.0 kg	IVF	unknown			
Date of report:	09-03-2019			Ethnic origin	Asian			
Previous trisomy 21 pregancies	unknown							

Corrected MoM's and calculated risks

AFP	50.6	ng/ml	0.72	Corr. MoM	Gestational age at sample date	19 + 1
uE3	1.44	ng/ml	0.91	Corr. MoM	determination method	LMP
HCG	28183	mIU/mI	1.59	Corr. MoM	Physician	KOS DIAGNOSTIC LAB
Inh-A	227	pa/mL	1.03	Corr. MoM		



Tr.21 risk

at term

1:1590

Age risk at term

1:900

Down's Syndrome Risk

The calculated risk for Trisomy 21 is below the cut off which represents a low risk.

After the result of the Trisomy 21 test it is expected that among 1589 women with the same data, there is one woman with a trisomy 21 pregnancy and 1590 women with not affected pregnancies.

The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician.

Please note that risk calculations are statistical approaches and have no diagnostic value!

Neural tube defects risk	Risk for trisomy 18
The corrected MoM AFP (0.72) is located in the low risk area for neural tube defects.	The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.

