



Immuno Diagnostics Pvt. Ltd.

Leading Immuno Assays Laboratory of Northern India
NABL (MC-2307) ACCREDITED & ISO 9001:2015 CERTIFIED LABORATORY



Reference No.	: - 1903221066	Age/Gender	: 33 Yrs/Female
Pt's Name	: Mrs. PRIYANKA		AMB-KOS
Referred By	: NA		
Sample Collection Date/Time	: 21-Mar-2019	Date	: 21-Mar-2019
Sample Receiving Date/Time	: 22-Mar-2019 12:41PM	Approval Date	: 22-Mar-2019 03:00PM
Sample From	: AMB-KOS DIAG LAB	Report Print Time	: 22-Mar-2019 03:28PM

SEROLOGY

Test Description	Observed Value	Biological Reference Interval
------------------	----------------	-------------------------------

Quadruple Marker, Serum*

Quadruple Marker

RESULTS OF QUADRUPLE SCREENING TEST

BIRTH DAY : 22/12/1985 AGE AT TERM : 33.6 WEIGHT : 65 KG
 LAST MENSTRUAL PERIOD : GESTATIONAL AGE BY BPD : 21 WEEKS + 0 DAYS

RESULTS OF MEASURED SERUM VALUE AND RISK VALUE :

AFP : 28.1 ng/ml MOM :0.36
 UE3 : 1.1 ng/ml MOM :0.62
 bHCG : 24123 mIU/ml MOM :1.63
 INH-A : 198.1 pg/mL MOM :0.84

RISK FACTOR

INDIVIDUAL QUADRUPLE-TEST-RISK **1:100** AGE RISK 1:563 NTD RISK <1:10000
 TRISOMY 21 HIGH RISK CUT OFF 1 : 250 NTD HIGH RISK CUT OFF 1 : 85

TRISOMY 21 (DOWN SYNDROME) RISK ASSESSMENT : SCREEN **POSITIVE**.

RISK OF DOWN SYNDROME USING AGE ONLY IS 1:563

RISK OF DOWN SYNDROME USING AGE, AFP, HCG, INHIBIN-A AND UE3 IS **1:100**

NEURAL TUBE DEFECTS (NTD) SCREENING : SCREEN NEGATIVE.

THE CORRECTED MOM AFP(0.39) IS LOCATED IN THE LOW RISK AREA FOR NERUAL TUBE DEFECTS.

TRISOMY 18 SCREENING : SCREEN NEGATIVE.

THE RISK FOR TRISOMY 18 IS < 1:10000

THERE IS NO STATISTICAL INDICATION FOR TRIPOMY 18 RISK.

THE PATIENT SHOULD BE ADVISED THAT THIS IS A SCREENING TEST ONLY.

Laboratory is NABL Accredited

*** End Of Report ***

Dr. Vimla Patni
 M.B.B.S., M.D. (Path & Micro)
 Hony Consultant Pathologist

Dr. Ajay Kumar
 Ph.D. (BARC)
 Specialisation in Thyroid Physiology

Dr. Rohini Bhatia
 M.B.B.S., M.D. (Pathology)
 Hony Consultant Pathologist

Dr. Malti Goyal
 M.B.B.S., M.D. (Path)
 Hony Consultant Pathologist

109, Pocket D&E Shopping Complex, Sarita Vihar, New Delhi-110 076

All results should be co-related clinically; if results are alarming or unexpected, contact the laboratory immediately. Not valid for Medico-Legal. Result pertain to the specimen submitted. The Tests with an * are not accredited by NABL.