

PRISCA 5.0.2.37

Licensed for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT


Result Down's syndrome screening

Name	MRS. MANPREET	Sample no	211904030011	IVF	unknown
Patient ID		Weight	64 kg	Smoking	unknown
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1	diabetes	unknown
		Birthday	18/02/1992	Ethnic origin	Asian
		Age at delivery	27	Day of serum taking	03-04-2019
		Previous trisomy 21 pregnancies	unknown	Date of report:	04-04-2019

Corrected MoM's and calculated risks

Sample Date	03-04-2019	Parameter	Value	Corr. MoM
Gestation age on the day of serum taking	18 + 3	AFP	58.7 ng/ml	1.08
Method	BPD Hadlock	uE3	1.1 ng/ml	1.05
		HCG	32579 mIU/ml	1.18
		Inh-A	232 pg/mL	1.07

Comment



Tr.21 risk
at term
1:8449

Age risk
at term
1: 1451

Neural tube defects risk

The corrected MoM AFP (1.08) is located in the low risk area for neural tube defects.

Risk for trisomy 18

The calculated risk for trisomy 18 is < 1:10000, which indicates a low risk.