

PRISCA 5.0.2.37

Licenced for: KOS DIAGNOSTIC LAB
6349/1, NICHOLSON ROAD, AMBALA CANTT

Result Down's syndrome screening


Name	MRS. PREETI	Sample no	1905220356/AMB IVF	no
Patient ID	1905220356/AMB	Weight	32 kg Smoking	no
Doctor	KOS DIAGNOSTIC LAB	Fetuses	1 diabetes	no
		Birthday	01-07-1985 Ethnic origin	Asian
		Age at delivery	34.3 Day of serum taking	10-05-2019
		Previous trisomy 21 pregnancies	no Date of report:	11-05-2019

Corrected MoM's and calculated risks

AFP	44.1 ng/ml	0.59	Corr. MoM
HCG	25040 mIU/ml	0.67	Corr. MoM
uE3	0.88 ng/ml	0.75	Corr. MoM
Inh-A	210 pg/mL	0.82	Corr. MoM

Ultra sound data

Day of ultra sound	13-04-2019	Nuchal translucency	1.29 mm
CRL	77.6 mm	Nasal bone	0.68 MoM present
Gestational age by CRL	13 + 4	Measured by	.
Gestation age on the day of serum taking	17 + 3	Qualifications in measuring NT	MD



Biochem. risk + NT at term
<1:10000

Age risk at term
1:494

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.59) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

