



Immuno Diagnostics Pvt. Ltd.

Leading Immuno Assays Laboratory of Northern India

NABL ACCREDITED & ISO 9001:2015 CERTIFIED LABORATORY



Reference No.	: - 1912220442	Age/Gender	: 35 Yrs/Female
Pt's Name	: Mrs. PINKI DEVI		AMB-KOS
Referred By	: NA		
Sample Collection Date/Time	: 12-Dec-2019	Date	:12-Dec-2019
Sample Receiving Date/Time	: 12-Dec-2019 02:53AM	Approval Date	:12-Dec-2019 08:19AM
Sample From	: KOS DIAG LAB	Report Print Time	:22-Dec-2019 12:07AM

Elisa.

Test Description	Observed Value	Biological Reference Interval
	Filaria Ab IgG/IgM*	
FILARIASIS ANTIBODY IgG*	NEGATIVE	
FILARIASIS ANTIBODY IGM*	NEGATIVE	

Comments :-

Antibody detection provides an early means to detect filarial parasite infection. Presence of IgM to the parasite antigens suggest current infection, whereas IGG corresponds to late stage of infection or past infection.


Laboratory is NABL Accredited

*** End Of Report ***



Dr. Ajay Kumar
Ph.D. (BARC)
Specialisation in Thyroid Physiology

Dr. Rohini Bhatia
M.B.B.S., M.D. (Pathology)
Hony Consultant Pathologist


Dr. Malti Goyal
M.B.B.S., M.D. (Path)
Hony Consultant Pathologist

109, Pocket D&E Shopping Complex, Sarita Vihar, New Delhi-110 076

All results should be co-related clinically; if results are alarming or unexpected, contact the laboratory immediately. Not valid for Medico-Legal. Result pertain to the specimen submitted. The Tests with an * are not accredited by NABL.