



Reference No.	: - 2006220227	Age/Gender	: 24 Yrs/Female
Pt's Name	: Mrs. AKASNA W/O AMIT		AMB-KOS
Referred By	: NA		
Sample Collection Date/Time	: 06-Jun-2020	Date	:06-Jun-2020
Sample Receiving Date/Time	: 06-Jun-2020 12:31PM	Approval Date	:06-Jun-2020 03:48PM
Sample From	: KOS DIAG LAB	Report Print Time	:06-Jun-2020 04:35PM

HAEMATOLOGY

Test Description	Observed Value	Biological Reference Interval
Haemoglobin Electrophoresis (HPLC)*		
Peak		
HbF	2.10	0-2.0
A1c	4.50	(< 9.60) %
P3	4.10	%
A0	85.30	%
A2	3.00	(1.50-3.70) %
Hb D (Punjab)	0.00	%
S-Window	0.00	(< 0.02) %
C-Window	0.00	(< 0.02) %
E-Window	0.00	(< 0.02) %
Unknown (Unidentified)	0.00	(<0.02) %
Others (Non specific)	0.00	(<10.00) %

Comments HPLC
Raised HbF with HbA2 within normal limits. If lady is Pregnant then HbF is normal.

Laboratory is NABL Accredited

*** End Of Report ***

