




Mr. MOHIT
AMBALA, CHEMBUR
Tel No : 8607344999
PIN No: 133001
PID NO: P542200069324
Age: 26.0 Year(s) Sex: Male



Reference: Dr. VINAY KUMAR
CHOPRA
Sample Collected At:
DR VINAY KUMAR CHOPRA
KOS Diagnostic Lab, 6349/I, Nicholson
Road, Ambala Cantt, HRY 133001.
Sample Processed At: Metropolis
Healthcare Ltd E-21, B1 Mohan Co-op Ind
Estate New Delhi-110044

VID: 220054000038615
Registered On:
01/06/2022 07:35 PM
Collected On:
01/06/2022 6:22PM
Reported On:
02/06/2022 06:28 PM

Investigation

 **HBsAg Screening**
(Serum,CMIA)

Observed Value

Reactive(0.84)

Unit

IU/mL

Biological Reference Interval

Non Reactive: < 0.05
Reactive: >= 0.05

Medical Remarks: Rechecked by ELFA Method. Rechecked with two consecutive samples.
All Reactive results must be confirmed by Neutralizing confirmatory test or by HBV DNA detection assay.

Abbreviation :

CMIA : Chemiluminescence Microparticle Immunoassay
HBsAg : Hepatitis B Surface Antigen

-- End of Report --



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2676

Dr. Geeta Chopra

Dr. Geeta Chopra
M.D. (Pathology)