

METROPOLIS

Breast Pathology Dermatopathology Gastrointestinal Pathology Genitourinary Pathology Gynecologic Pathology Head & Neck Pathology Hematolymphoid Pathology Hepatobiliary Pathology Neuropathology

HIST®XPER

 Mrs. BALJEET KAUR

 AMBALA , AMBALA , AMBALA , AMBALA , Tel No : 8708288635

 PIN No: 133001

 PID NO: P542200253247

 Age: 44.0 Year(s) Sex: Female

### Reference: Dr.VINAY KUMAR CHOPRA

Sample Collected At: Dr Vinay Kumar Chopra Kos Diagnostic Lab, 6349/i, Nicholson Road, Ambala Cantt, Hry 133001. Processing Location:- Metropolis Healthcare Ltd,unit No409-416,4th Floor,commercial Building-1,kohinoor Mall,mumbai-70 VID: 220054000231086 Registered On: 03/01/2023 12:15 PM Collected On: 03/01/2023 12:18PM Reported On: 07/01/2023 12:09 PM

# IMMUNOHISTOCHEMISTRY PANEL (PREDICTIVE & PROGNOSTIC MARKER ASSESSMENT)

	Case Summary			
	CASE NO.	:23MLI0209		
	Gross Examination	Received 3 paraffin blocks labelled as 57928/22, B, K.		
RESULT :				
	Estrogen Receptor (ER)			
	Interpretation		Negative	
	Proportion		-	
	Intensity		-	
	Quick Score		-	
	Progesterone Receptor (PgR)			
	Interpretation		Negative	
	Proportion		-	
	Intensity		-	

Dr Kirti Chadha

### GLOBAL REFERENCE LABORATORY FACULTY

SR. ONCOPATHOLOGIST

Paediatric & Perinatal Pathology

Transplant Pathology (Renal & Hepatic) GROUP HEAD - MEDICAL AFFAIRS,

Pulmonary Pathology Renal Pathology Soft tissue Pathology


Dr Anuradha Murthy Dr Vikas Kavishwar Dr Barodawala S.M Dr Kunjal Lila Dr Shital Munde Dr Roshani Gala

### **PROPORTION & INTENSITY SCORING - ALLRED SCORE**

**Quick Score** 

Proportion	Intensity
0 = No nuclear staining	0 = No staining
1 = <1% nuclei staining	1 = weak staining
2 = 1-10 % nuclei staining	2 = moderate staining
3 = 11-33 % nuclei staining	3 = strong staining
4 = 34-66% nuclei staining	
5 = 67-100 % nuclei staining	





Dr. Kunjal Lila M.D (Pathology) Consultant Surgical Pathologist,Metropolis -Page 1 of &RL Mumbai

## INTERNATIONAL & NATIONAL SUBSPECIALITY PATHOLOGY

# 220054000231086

### Mrs. BALJEET KAUR AMBALA , AMBALA , AMBALA

Tel No : 8708288635 PIN No: 133001 PID NO: P542200253247 Age: 44.0 Year(s) Sex: Female

### Reference: Dr.VINAY KUMAR CHOPRA

Sample Collected At: Dr Vinay Kumar Chopra Kos Diagnostic Lab, 6349/i, Nicholson Road, Ambala Cantt, Hry 133001. Processing Location:- Metropolis Healthcare Ltd, unit No409-416,4th Floor,commercial Building-1,kohinoor Mall,mumbai-70 VID: 220054000231086 Registered On: 03/01/2023 12:15 PM Collected On: 03/01/2023 12:18PM Reported On: 07/01/2023 12:09 PM

METROPOLIS	
<b>HIST</b> ®XPERT	

C-erbB-2/ Her 2 neu
---------------------

Score value	0
Score result	Negative

### **RESULT INTERPRETATION OF Her 2/neu. (ASCO/CAP 2018).**

### INTERNATIONAL & NATIONAL SUBSPECIALITY PATHOLOGY

Breast Pathology
Dermatopathology
Gastrointestinal Pathology
Genitourinary Pathology
Gynecologic Pathology
Head & Neck Pathology
Hematolymphoid Pathology
Hepatobiliary Pathology
Neuropathology
Paediatric & Perinatal Pathology
Pulmonary Pathology
Renal Pathology
Soft tissue Pathology
Transplant Pathology (Renal & Hepatic)

### GROUP HEAD - MEDICAL AFFAIRS, SR. ONCOPATHOLOGIST

Dr Kirti Chadha

### GLOBAL REFERENCE LABORATORY FACULTY

Dr Anuradha Murthy

- Dr Vikas Kavishwar
- Dr Barodawala S.M
- Dr Kunjal Lila
- Dr Shital Munde
- Dr Roshani Gala


Score	C-erbB-2 (HER-2 protein) overexpression assessment	Staining pattern
0	Negative	No observed staining or incomplete, faint / barely perceptible membrane staining in <= 10% of invasive tumour cells.
1+	Negative	Incomplete, faint / barely perceptible membrane staining in > 10% of invasive tumour cells.
2+	Equivocal	Weak to moderate complete membrane staining observed in >10% tumor cells.
3+	Positive	Complete / intense circumferential membrane staining in > 10% of invasive tumour cells.

**Processing :** Manual / Automated (Roche Ventana Benchmark XT 715030, Roche Ventana Benchmark XT 716016, Intellipath)

### **CAP Recommendation :**

- Testing ER, PgR and Her2/neu status on all newly diagnosed invasive breast cancers (primary site and/or metastatic site), and whenever appropriate, repeat testing in patients with a known breast cancer diagnosis who now present with a local or distant recurrence.
- Fixation time: Ideally should be 6-72 hours for ER/PgR and Her2/neu.
- Cold Ischemic time: It is the time from tissue removal to initiation of fixation and should be less than or equal to one hour.





Dr. Kunjal Lila M.D (Pathology) Consultant Surgical Pathologist,Metropolis -Page 2 of &RL Mumbai



METROPOLIS

### Mrs. BALJEET KAUR AMBALA , AMBALA , AMBALA

Tel No : 8708288635 PIN No: 133001 PID NO: P542200253247 Age: 44.0 Year(s) Sex: Female

### Reference: Dr.VINAY KUMAR CHOPRA

Sample Collected At: Dr Vinay Kumar Chopra Kos Diagnostic Lab, 6349/i, Nicholson Road, Ambala Cantt, Hry 133001. Processing Location:- Metropolis Healthcare Ltd,unit No409-416,4th Floor,commercial Building-1,kohinoor Mall,mumbai-70 VID: 220054000231086 Registered On: 03/01/2023 12:15 PM Collected On: 03/01/2023 12:18PM Reported On: 07/01/2023 12:09 PM

# Note: ER / PR

- Considering an ER and PgR test performed by an IHC assay as positive if at least one percent of the tumor in the sample tests positive, which helps predict whether a patient is likely to benefit with endocrine treatment.
- Patients whose breast cancers have very low levels of staining(Quick score 2) may still benefit from adjuvant endocrine therapy. It is reasonable for oncologists to discuss the pros and cons of endocrine therapy with patients whose tumors contain low levels of ER by IHC (one percent to ten percent weakly positive cells) and to make an informed decision based on available information.
- Patients with tumours scoring less than 2 are regarded as ER / PgR negative and have a negligible chance of response to endocrine therapy.

### C-erbB-2

- For equivocal cases (2+) Fluorescent in-situ hybridization (FISH) analysis for Her-2 gene amplification can be used as a secondary test.
- Prolonged cold ischemic and fixation times may lead to a false negative Her2/neu result.
- If the cold ischemic and fixation times are not known, negative Her2/neu results should be interpreted with caution.
- If the initial HER2 test result in a core needle biopsy specimen of a primary breast cancer is negative, a new HER2 test may be ordered on the excision specimen.

### **References :**

- Fitzgibbons PL, Murphy DA, Hammond ME, et al. Recommendations for validating estrogen and progesterone receptor immunohistochemistry assays. Arch Pathol Lab Med. 2010;134;930-935
- Wolff AC, Hammond EH, Allison KH, et al. Human Epidermal Growth Factor Receptor 2 Testing in Breast Cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update. Arch Pathol Lab Med. 2018;142(11):1364-1382.

### **Quality Assurance:**

- The external (positive and negative) and internal control (wherever applicable) show appropriate reactivity.
- Detection system: MACH-2 Universal HRP Polymer Detection / Ultraview Dab detection Kit.
- Clone: ER SP1; Company: Thermoscientific/Lab Vision.
- Clone: PgR PgR636; Company: Dako.
- Clone: C-erbB-2 SP3; Company: Thermoscientific/Lab Vision.
- **Dispatch Summary:** 
  - 1. Blocks that are submitted are enclosed with the report.
  - 2. Stained slide is archived.
  - 3. Case images are available on request.

-- End of Report --



Kunjal Lila

Dr. Kunjal Lila M.D (Pathology) Consultant Surgical Pathologist,Metropolis -Page 3 of &RL Mumbai



**INTERNATIONAL & NATIONAL** 

HIST®XPE

Gastrointestinal Pathology Genitourinary Pathology Gynecologic Pathology Head & Neck Pathology Hematolymphoid Pathology Hepatobiliary Pathology Neuropathology Paediatric & Perinatal Pathology Pulmonary Pathology Renal Pathology Soft tissue Pathology

Transplant Pathology (Renal & Hepatic)

### GROUP HEAD - MEDICAL AFFAIRS, SR. ONCOPATHOLOGIST

Dr Kirti Chadha

### GLOBAL REFERENCE LABORATORY FACULTY

- Dr Anuradha Murthy
- Dr Vikas Kavishwar
- Dr Barodawala S.M
- Dr Kunjal Lila
- Dr Shital Munde
- Dr Roshani Gala