Dasic IIII	ormation								
Name:	TEJINDERJIT		ntact:					Gender:	Female
Weight:	53.00 Kg		thdate:	1996-0	1-24		Expec	ted Due age:	: 27.09 Year
	Asian		wins:	No			GA c	alc method:	CRL Robinson
LMP Day:	formation	Sei	nder:						
		C	1 110	A 00646	000		Scan Data	: 2023-02-	10
Send time: 2023-02-26		Sample NO.: A0064089							10
Lab:		Sample		2023-02	2-25		GA:	12+3	
BDP:	mm		CRL.	47.00	mm		NT	1.00	mm
Assay									
NO.	Item abbr	Result	esult Unit		N	ИОМ	Refe	rence range	
1	free-\(\beta\)-HCG	25.74		ng/ml		0.47			
2	PAPP-A	2883.00		mIU/L		0.56			
3	NT	1.00		mm		0.78			
Risk calculate									
Age risk: 1:1198						21-3 syndrome risk			
Paran	neter: Trisomy21					50	50		
					Risk	100 - Risk above cut off			isk above cut off
]	Risk: 1:42425				ä	100		Ye	ou risk 1:>10000
Cut	Off: ( < 1:150 )					>5000			,
Screening I	Result:Negative					~J000	Age	50	
D						100	18-3	syndrome r	risk
Paran	neter: Trisomy18/13					100			
F	Risk: 1:112426				×	000		Risk above cut off	isk above cut off
Cut	Off: ( < 1:300 )				R. R.	200		Y	ou risk 1: >10000
Screening Result:Negative					>5000				
							٨٥٥	50	

Advice: Diagnostic results with less risk

Parameter:

Note: \*The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

\*The high risk and borderline risk of triscomy 21 or triscomy 18 requires further interventional preparal diagnosis (from fetures)

Age

Screening Result:

Doctor: Checked by:

Cut Off:

Print date: 2023-02-26 06:58:16

<sup>\*</sup>The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

<sup>\*</sup>The risk of NTD is only calculated at 14-22 weeks.

<sup>\*</sup>The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

<sup>\*\*</sup>This report only can be reference and assistant for doctor, cannot directly give conclusion by this \*\*