Basic Info	ormation				
Weight: Race: LMP Day:	KANCHAN 64.90 Kg Asian formation	Bin	ontact: rthdate: 1992-0 ſwins: No ender:	1-01	Gender: Female Expected Due age: 31.15 Year GA calc method: CRL Robinson
	2023-02-28	Sa	nple NO.:1027014	10	Scan Date: 2023-02-27
Lab:		Sample	•		GA: 11+2
BDP:		Sampk	CRL 49.50		NT 0.93 mm
Assay]		CKL 49.30	mm	· · ·
NO.	Item abbr	Result	Unit	MOM	Reference range
1	free-ß-HCG	115.20	ng/ml	1.83	3
2	PAPP-A	4056.00	mIU/L	1.56	5
3	NT	0.93	mm	0.69)
Risk calculate					
Age risk: 1:773				50	21-3 syndrome risk
I Cut	neter:Trisomy21 Risk: 1:11904 Off: (< 1:150) ResultNegative			र्डेंट्र 100 >5000	50
Screening I	count_vegative				Age
Parameter: Trisomy18/13				100	18-3 syndrome risk
Risk: 1:17194085				~	Risk above cut off
Cut Off: (< 1:300)				N. 200	You risk 1: >10000
Screening R	Result:Negative			>5000	Age
	ter:		Cut Off:		Screening Result:

Advice: Diagnostic results with less risk

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report. *The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

*The risk of NTD is only calculated at 14-22 weeks.

*The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

**This report only can be reference and assistant for doctor , cannot directly give conclusion by this **

Doctor: