Basic Info	ormation								
Name: Weight:	BINDU SINGH 47.00 Kg	Con Birth	tact: date: 1995-05	5-19		Expecte	Gender:	Female 27.84 Year	
Race: LMP Day:	Asian	Tw Send	vins: No der:			-	_	CRL Robinson	
Sample information Send time: 2023-03-23		Sample NO.:A0262703			Scar	n Date:	2023-03-1	7	
Lab: BDP:		Sample I	Date: 2023-03- CRL 52.00	-23 mm	GA:	NT	12+5 0.70	mm	
Assay]								
NO.	Item abbr	Result	Unit	MOI	M	Reference range			
1	free-ß-HCG	33.75	ng/ml	0	59				
2	PAPP-A	3018.00	mIU/L	0.4	46				
3	NT	0.70	mm	0	56				
Risk calculate Age	risk: 1:1131			50	21-3 syndrome risk				
Paran	neter: Trisomy21				Pil I				
I	Risk: 1:19521			호 100					
	Off: (< 1:150) ResultNegative			>50	000	Age	50		
						18-3 s	syndrome ris	sk	
Parameter: Trisomy18/13				100	100				
R	Risk: 1:25879			<u>¥</u> 200		Risk above cut off			
Cut	Off: (< 1:300)			<u> </u>			You	u risk 1: >10000	
Screening R	Result:Negative			>50	000				

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high right and harderline right of triggery 21 or triggery 18 requires further interventional proportion for fatures.

50

Screening Result:

Age

Doctor: Checked by :

Cut Off:

Print date: 2023-03-24 07:51:49

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **