Name:	VANDANA	Ca	ata atı						Gender:	E 1	
Weight:			ntact: thdate:	1993-0	8-18		F	vnecte	d Due age:	Female	ear
_	Asian Kg		wins:	No	0 10			-	_		
MP Day:	7 151411		Sender:			GA calc method: CRL Robinson					
Sample inf	formation										
Send time: 2023-04-07		San	Sample NO.:00125765				Scan	Date:	2023-04-04	1	
Lab:		Sample	Date:	2023-04	1-05		GA:		11+5		
BDP:	mm		CRL	48.30	mm			NT	1.10	mm	
Assay											
NO.	Item abbr	Result	J	Jnit	N	MOM		Reference range			
1	free-ß-HCG	75.93		ng/ml		1.50					
2	PAPP-A	1872.00		mIU/L		0.71					
3	NT	1.10		mm		0.84					
sk calculate											
Age risk: 1:946					21-3 syndrome risk						
						50					
Param	eter: Trisomy21				~	Risk above cu				sk above cut o	off
R	lisk: 1:5326				Ris					ou risk 1:5326	
Cut	Off: ( < 1:150 )										
Screening ResultNegative						>5000			<del></del>		
bereeining iv	esant, veganive							Age			
								18-3 s	yndrome ris	sk	
Param	eter: Trisomy18/1	3				100					
R	isk: 1:2723884						Risk above cut off				
Cut	Off: ( < 1:300 )				Ris	호 200 -		You risk 1: >1			00
Screening Result:Negative											
Corponing D	acult:Nagativa					>5000					h

Advice: Diagnostic results with less risk

Parameter:

Note: \*The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

\*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses

Screening Result:

Doctor: Checked by:

Cut Off:

Print date: 2023-04-07 07:47:17

<sup>\*</sup>The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

<sup>\*</sup>The risk of NTD is only calculated at 14-22 weeks.

<sup>\*</sup>The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

<sup>\*\*</sup>This report only can be reference and assistant for doctor, cannot directly give conclusion by this \*\*