Name:	KAMALJIT	Contact:						Gender	1 01110110	
Weight:	_		rthdate:	1996-0	9-06		Exped	cted Due ag	e: 26.67 Year	
	Asian		Twins:	No			GA	calc method	: CRL Robinson	
CMP Day: Sample in	formation	Se	ender:							
Sample information Send time: 2023-05-08		Sample NO.: A0067716			116		Scan Date	e: 2023-05	-10	
Lab:		Sample Date: 2023-05-1					GA:	12+0		
BDP:		Sampk	CRL	53.50			NT	1.60	mm	
Assay	7		CKL		mm		111	1.00	111111	
NO.	」 Item abbr	Result	1	Unit		ЮМ	Ref	erence rang	e	
1	free-ß-HCG	29.62		ng/ml		0.64				
2	PAPP-A	3645.00		mIU/L		1.27				
3	NT	1.60		mm		1.12				
sk calculate	;									
	e risk: 1:1232					21-3 syndrome risk				
7150	7113K. 1.1232					50				
Paran	meter: Trisomy21							Risk above cut off		
]	Risk: 1:45983					호 100	You risk 1: >10000			
C-+ Off ( +1.150 )								1 Ou 11Sk 1. > 10000		
	t Off: ( < 1:150 )					>5000	)	50		
Screening I	Result:Negative						Age	30		
							18-3	3 syndrome	risk	
Paran	meter: Trisomy18/13					100				
I	Risk: 1:2114182								Risk above cut off	
	Off: ( < 1:300 )				Risk	200		You risk 1: >10000		
Cui								1 0 a 115k 1 10000		
	Result:Negative									

Advice: Diagnostic results with less risk

Parameter:

Note: \*The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

\*The high right and harderline right of triggery 21 or triggery 18 requires further interventional proposal discrepancy (from fatures).

Screening Result:

Doctor: Checked by:

Cut Off:

Print date: 2023-05-11 09:43:27

<sup>\*</sup>The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

<sup>\*</sup>The risk of NTD is only calculated at 14-22 weeks.

<sup>\*</sup>The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

<sup>\*\*</sup>This report only can be reference and assistant for doctor, cannot directly give conclusion by this \*\*