Basic Infor	mation								
Name: I	BALJEET KAUR	Co	ntact:				Gender:	Female	
Weight: 4	2.00 Kg	Birthdate: 1991-11-2		1-26	6 Expected Due age: 31.49 Year				
	Asian		wins: No			GA	calc method:	CRL Robinson	
LMP Day: Sample info	rmation	Sei	nder:						
Send time: 2		Com	1- NO - 4 01544	502		Scan Date	e: 2023-05-	20	
Lab:		Sample NO.: A015450. Sample Date: 2023-05-2				GA:		20	
BDP:	mm	Sample					12+5		
	- mm		CRL 57.40	mm		NT	1.10	mm	
Assay -	Item abbr	Result	Unit	N	иом	Ref	erence range		
1	free-β-HCG	98.12	ng/ml		1.58				
2	PAPP-A	4340.00	mIU/L		0.58				
3	NT	1.10	mm		0.73				
Risk calculate —									
Age ri	isk: 1:738				21-3 syndrome risk				
_	T. 21				50				
Parame	eter: Trisomy21			봊	Risk above cut off You risk 1:2602				
Ris	sk: 1:2602			ä				You risk 1:2602	
Cut Off: (< 1:150)					> F000		_		
Screening ResultNegative					>5000		50		
20100111118110	survi (egative					Age			
_						18-3	18-3 syndrome risk		
Parameter: Trisomy18/13					100				
Ris	sk: 1:944280			¥			Risk above cut off		
Cut O	Off: (< 1:300)			Ris	200		You risk 1: >10000		
Screening Result:Negative					. E000				
Screening Re	suitalegative				>5000		50		
						Age			

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of triscomy 21 or triscomy 18 requires further interventional preparal diagnosis (from fetures)

Screening Result:

Doctor: Checked by :

Cut Off:

Print date: 2023-05-24 07:43:33

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **