Name:	HADIDIDED KAL	D							C 1		
	HARJINDER KAU		Contact: Birthdate: 1990-04-0 Twins: No		v4 01	Gender: Female					3 7
Weight: Race:	60.00 Kg Asian				-04-0 1		Expected Due age: 33.17 Year				
LMP Day:			Sender:			GA calc method: CRL Robinson					
	formation										
Send time: 2023-06-03		Sample NO.:Z0131763			63		Scan D	ate:	2023-06-03	3	
Lab:		Sample Date: 2023-0		2023-06	6-01		GA:		13+0		
BDP:	mm		CRL	72.20	mm		N	T	1.54	mm	
Assay]		4 .4				•	.4			
NO.	Item abbr	Result	Ţ	J nit	N	ЮМ	R	Reference range			
1	free-ß-HCG	84.24		ng/ml		1.89					
2	PAPP-A	10000.00		mIU/L		1.83					
3	NT	TT 1.54		mm		0.86					
sk calculate											
Age risk: 1:555						21-3 syndrome risk					
_						50					
Paran	neter: Trisomy21				Risk		Risk above cut off				
I	Risk: 1:5533					100	0 - You risk 1:5533				
Cut	Off: (< 1:150)										
	Result:Negative					>5000			50		
screening r	cesuitnegative						Αg	ge			
				1	8-3 s	yndrome ris	sk				
Parameter: Trisomy18/13						100					
F	Risk: 1:28492098				र्				Ris	k above cut	off
Cut	Off: (< 1:300)				Risk	200			You	u risk 1:>10	0000
Screening Result:Negative											
Screening R	Result:Negative					>5000					

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of trigony 21 or trigony 18 requires further interventional preparal diagnosis (from fatures).

Screening Result:

Doctor: Checked by:

Cut Off:

Print date: 2023-06-03 20:09:13

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **