Name: SUKHWINDER Weight: 57.70 Kg Race: Asian MP Day: Sample information		Bir	Contact: Birthdate: 1990- Twins: Single Sender:			Gender: Female Expected Due age: 32.46 Year GA calc method: CRL Robinson		
	2023-06-03	Sat	nple NO.:A015	5784		Scan Date:	2023-06-08	3
Lab:			Sample Date: 2023-06			GA:	12+5	
BDP:	mm	1	CRL 64.10			NT	1.00	mm
Assay			• •					
NO.	Item abbr	Result	Unit	N	МОМ	Refer	ence range	
1	free-ß-HCG	36.46	ng/ml		0.49			
2	PAPP-A	6496.00	mIU/L		0.79			
3	NT	1.00	mm		0.61			
isk calculate								
Age	risk: 1:629				21-3 syndrome risk			
I	neter: Trisomy21 Risk: 1:34769 : Off: (< 1:150)			Risk	100 >5000			a above cut off 1 risk 1: >10000
Screening F	Result:Negative				- 0000	Age	50	
							syndrome ris	k
Paran	neter: Trisomy18/1	13			100	10 0 0		
F	Risk: 1:79248		*			Risk above cut off		
Cut	Off: (< 1:300)			Risk	200			ı risk 1: >10000
Screening Result:Negative					>5000	Age	50	

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of triscomy 21 or triscomy 18 requires further interventional preparal diagnosis (from fetures)

Screening Result:

**This report only can be reference and assistant for doctor, cannot directly give conclusion by this **

Doctor: Checked by :

Cut Off:

Print date: 2023-06-09 06:55:25

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.