Name:	SARASWATI	C	ontact:						Gender:	Female		
Weight:		Birthdate: 1996-10-1 Twins: No			0-18	0					Year	
Race:	Asian Kg				0 10	GA calc method: CRL Robinson						
MP Day:	Tioluli	Sender:				GA Care method. CRL ROOMSON						
Sample in	formation											
Send time: 2023-06-16		Sample NO.:10150002					Scan D	ate:	2023-06-13	3		
Lab:		Sample Date: 2023-06		-15		GA:		13+4				
BDP:	mm		CRL	72.20	mm		N	T	1.20	mm		
Assay]		- 1				•	.4				
NO.	Item abbr	Result	Unit		N	ЮМ	R	Reference range				
1	free-ß-HCG	149.20		ng/ml		2.97						
2	PAPP-A	10000.00		mIU/L		1.06						
3	NT	1.20		mm		0.67						
sk calculate												
Age	risk: 1:1236					21-3 syndrome risk						
						50						
Paran	neter: Trisomy21				<u> </u>	Risk above cut				ıt off		
Risk: 1:2583					Risk	100	You risk 1:2583					
Cut	Off: (< 1:150)								_			
	Result:Negative					>5000			50			
ocreening i	cesuri, regative						Αį	ge				
							1	18-3 syndrome risk				
Paran	neter: Trisomy18/13					100						
F	Risk: 1:17461832						Risk above cut off					
Cut	Off: (< 1:300)				Risk	200		You risk 1: >10000				
Screening Result:Negative												
Screening R	Result:Negative					>5000						

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses

Screening Result:

Cut Off:

Doctor: Checked by :

Print date: 2023-06-16 15:57:01

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **