



**MANJIT KAUR**

PID NO: P542300415613

Age: 34.0 Year(s) Sex: Female



Reference: Dr.SELF

Sample Collected At:  
DR VINAY KUMAR CHOPRA  
KOS Diagnostic Lab, 6349/1, Nicholson  
Road, Ambala Cantt, HRY 133001.  
**Sample Processed At: Metropolis  
Healthcare Ltd E-21, B1 Mohan Co-op  
Ind Estate New Delhi-110044**

VID: 230054000397901

Registered On:  
19/08/2023 08:24 AM  
Collected On:  
18/08/2023 8:24AM  
Reported On:  
19/08/2023 07:40 PM

**Investigation**

**Observed Value**

**Biological Reference Interval**

 **Coomb's Test-Indirect**  
(Serum)

**Positive (1:4)**

Negative

Medical Remarks: Advise :Correlate Clinically

**Method:** Tube Agglutination Method

**Interpretation:**

The indirect Coombs (ICT) test detects circulating antibodies against red blood cells (RBCs). A positive ICT may suggest :

1. Erythroblastosis fetalis hemolytic disease.
2. Incompatible blood match (when used in blood banks)
3. Autoimmune or drug-induced hemolytic anemia.

**-- End of Report --**



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2676; Validity till 04-04-2024