

KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA

Result Down's syndrome screening


Name	MRS. VEERPAL KAUR	Sample no	2312220199/CMP IVF	no
Patient ID		Weight	60 kg Smoking	no
Doctor		Fetuses	1 diabetes	no
		Birthday	20/04/87	Asian
		Age at delivery	37.1	08/12/23
		Previous trisomy 21 pregnancies	no	09/12/23
			Day of serum taking	
			Date of report:	

Corrected MoM's and calculated risks

AFP	42.1 ng/ml	1.26	Corr. MoM
HCG	24562 mIU/ml	0.67	Corr. MoM
uE3	1.25 ng/ml	1.29	Corr. MoM
Inh-A	197 pg/ml	1.19	Corr. MoM

Ultra sound data

Day of ultra sound	13/11/23	Nuchal translucency	1.1 mm
			0.75 MoM
CRL	55.4 mm	Nasal bone	present
Gestational age by CRL	12 + 0	Measured by	..
Gestation age on the day of serum taking	15 + 4	Qualifications in measuring NT	..



Biochem. risk + NT at term
 <1:10000

Age risk at term
 1:266

TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (1.26) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

