Name: (CHANDNI	C	ontact:			Gender:	Female
Weight: 6			omaci. rthdate: 1996-	05-02	Λ.		
_	Asian	Twins: Single vill		villus	Age of EDC: 28.36 Year GA calc method: CRL Robinson		
LMP Day:		S	ender:		OA cai	e memou.	CKL KOUIISUII
Sample info							
Send time: 2024-03-10		Sample NO.: A0351773		Scan Date:	2024-03-02	2	
Lab:		Sample Date: 2024-03-09			GA:	13+5	
BPD:	mm	CR	RL length: 63.01	mm	NT length:	1.30 n	nm
Assay -							
NO.	Item abbr	Result	Unit	MOM	Refere	ence range	
1 fi	ree-ß-HCG	22.13	ng/ml	0.49			
2	PAPP-A	8986.00	mIU/L	1.02			
3	NT	1.30	mm	0.80			
sk calculate –							
 Age risk: 1:1132					21-3 syndrome risk		
S				50			
Parame	ter: Trisomy21				Rick above cut o		k above cut off
Risk: 1:77333				<u> </u>	You risk 1: >10000		
Cut C	Off: (< 1:150)					100	113k 1. > 10000
				>5000	Ę	50	
Screaning Re	esult: Negative				Age		
					18-3 s	yndrome ris	sk
Parameter: Trisomy18/13				100			
Ris	sk: 1:739909			~	Risk above cut off	k above cut off	
Cut O	off: (< 1:300)			<u>향</u> 200		You risk 1: >10000	
Screening Re	sult: Negative			>5000			

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high girls and bead white girls of trigony 21 or trigony 18 requires first by girls and proposed discrepancy for the girls and bead white girls and bead white girls are said (from fortune).

Screening Result:

Cut Off:

Doctor: Checked by :

Print date: 2024-03-10 10:16:18

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **