Namai IZI II						C 1	Eamala
1101	Name: KULWINDER		ntact:	07.16			Female
Weight: 62.00 Kg Race: Asian		Birthdate: 2002-07-16 Twins: No			Age of EDC: 22.22 Year		
Race: Asia: LMP Day:	1		wins: No ender:		GA cal	c method:	CRL Robinson
Sample information	ation		muci.				
Send time: 2024-04-04		San	nple NO.: A058	3321	Scan Date:	2024-03-2	3
Lab:		Sample Date: 2024-04-03			GA:	13+6	
BPD: mm		CRL length: 57.40 mm			NT length:		mm
Assay							
	n abbr	Result	Unit	MOM	Refere	ence range	
1 free-	3-HCG	60.50	ng/ml	1.71			
2 PA	PP-A	8560.00	mIU/L	1.25			
3	NT	1.50	mm	1.00			
sk calculate ——							
	1 1 400				21-3 s	yndrome ri	sk
Age risk:	1:1489			50		,	
Parameter:	Trisomy21						
Risk: 1:8980				※ 100	Risk above cut o		isk above cut off
				<u> </u>		Y	ou risk 1:8980
Cut Off: (< 1:150)				>5000	_		
Screaning Result: Negative					Age	50	
					18-3 s	yndrome ri	sk
Parameter: Trisomy18/13 Risk: 1:25377377 Cut Off: (< 1:300)				100			
					Risk above cut off You risk 1: >10000	sk above cut off	
				호 200			
· · · · · · · · · · · · · · · · · · ·				_		10	ou 118K 1. ~10000
Screening Result: Negative			>5000		50		
				Age	,,		

Advice: Diagnostic results with less risk

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as village apprietted fluid, and blood, etc.) high right of report table defeat (NTD) release so to ultrasound grounds.

*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuse such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

Screening Result:

**This report only can be reference and assistant for doctor, cannot directly give conclusion by this **

Cut Off:

Doctor: Checked by:

Print date: 2024-04-04 12:19:13

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.