



Mrs. RAKHI
AMBALA Ambala City H.O
Tel No : 9874458555
PIN No: 134003
PID NO: P39424522591432
Age: 24 Year(s) Sex: Female



Reference: SELF

Sample Collected At:
DR VINAY KUMAR CHOPRA
DR VINAY KUMAR CHOPRA KOS
Diagnostic Lab 6349/I Nicholson Road
Ambala Cantt HRY 133001. 06-HR 13
**Sample Processed At: Metropolis
Healthcare Ltd E-21, B1 Mohan Co-op
Ind Estate New Delhi-110044**

VID: 240333100779143
Registered On:
24/04/2024 07:21 PM
Collected On:
24/04/2024 7:19PM
Reported On:
25/04/2024 09:56 AM

Investigation

Observed Value

Biological Reference Interval



Coomb's Test-Indirect
(Serum)

Negative

Negative

Method: Tube Agglutination Method

Interpretation:

-

The indirect Coombs (ICT) test detects circulating antibodies against red blood cells (RBCs). A positive ICT may suggest :

1. Erythroblastosis fetalis hemolytic disease.
2. Incompatible blood match (when used in blood banks)
3. Autoimmune or drug-induced hemolytic anemia.

-- End of Report --



Tests marked with NABL symbol are accredited by NABL vide Certificate no MC-2676; Validity till 04-05-2024

Dr. Geeta Chopra .
M.D (Pathology)
(DMC Reg. No. - 5204)