Name:	DIIDINIDED IZALII		4.			Gender: Female
Weight:	RUPINDER KAUF 58.00 Kg		ontact: thdate: 1994-0	3-28		
•	Asian		wins: No	3 20		Age of EDC: 31.35 Year
LMP Day:			ender:			GA calc method: CRL Robinson
Sample in	formation					
Send time:	ne: 2025-01-25 Sample NO.: Y0262468			Scan Date: 2025-01-20		
Lab:		Sample Date: 2025-01-22				GA: 12+5
BPD: mm		CR	CRL length: 60.30 mm			NT length: 1.60 mm
Assay]					
NO.	Item abbr	Result	Unit	N	IOM	Reference range
1	free-ß-HCG	36.40	ng/ml	0	.75	
2	PAPP-A	10000.00	mIU/L	1	.94	
3	NT	1.60	mm	1	.02	
sk calculate						
Age	risk: 1:813					21-3 syndrome risk
-	T. 21				50 -	
Parameter: Trisomy21				봊	100	Risk above cut off
R	Risk: 1:34975			Risk	100	You risk 1: >10000
Cut	Off: (< 1:150)					
Screaning Result: Negative					>5000	50
Sereaming 1	tosuit. Tiogutive					Age
						18-3 syndrome risk
Param	neter: Trisomy18/13				100 -	
R	tisk: 1:6336262			호 호 200		Risk above cut off
					200 -	

Advice: Diagnostic results with less risk

Screening Result: Negative

Parameter:

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses

>5000

50

Screening Result:

Age

Cut Off:

Doctor: Checked by:

Print date: 2025-01-25 13:25:45

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.

^{**}This report only can be reference and assistant for doctor, cannot directly give conclusion by this **