
ormation				
				Gender: Female
50.00 Kg			1-17	Age of EDC: 28.68 Year
Asian				GA calc method: CRL Robinson
<u>C</u>	Se	ender:		
		4 3 7 T X 7 T 7 T 7 T 7 T 7 T 7 T 7 T 7 T 7	400	G D . 2025 02.12
Sumple Ivon 2 ve ve ve				Scan Date: 2025-03-13
	Samp	ole Date: 2025-03	3-15	GA: 12+4
mm	CR	L length: 56.90	mm	NT length: 1.10 mm
Item abbr	Result	Unit	MOM	Reference range
free-ß-HCG	49.97	ng/ml	0.90	
PAPP-A	4679.46	mIU/L	0.80	
NT	1.10	mm	0.74	
e risk: 1:1101				21-3 syndrome risk
			50	
meter: Trisomy21				Risk above cut off
Risk: 1:21798			<u>is</u> 100	+
				You risk 1: >10000
t Off: (< 1:150)			>5000	
D 1/ NT /*				50 Age
Result: Negative				/ igc
Result: Negative				
neter: Trisomy18/13			100	18-3 syndrome risk
- -	50.00 Kg Asian formation 2025-03-17 mm Item abbr free-\beta-HCG PAPP-A NT risk: 1:1101	50.00 Kg Bir Asian T Sentermation	50.00 Kg Birthdate: 1997-0 Asian Twins: No Sender: Information Sample NO.: Y0508 Sample Date: 2025-03 Sample Date: 2025-03 mm CRL length: 56.90 Item abbr Result Unit free-B-HCG 49.97 ng/ml PAPP-A 4679.46 mIU/L NT 1.10 mm erisk: 1:1101 meter: Trisomy21 Risk: 1:21798 Risk: 1:21798	Solution Sender: 1997-01-17

Risk: 1:1373246

Cut Off: ($\leq 1:300$)

Screening Result: Negative



Parameter: Cut Off: Screening Result

Advice: Diagnostic results with less risk

Note: *The basic information on the basis of Down's risk assessment in this report is provided at the time of your onsite. When you get this report, please first check whether your relevant information is correct. If there is any discrepancy, please contact your doctor in time, so as to feedback us the correct information and documents, then obtain the correct report.

*The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses

**This report only can be reference and assistant for doctor, cannot directly give conclusion by this **

Doctor: Checked by:

Print date: 2025-03-17 14:18:51

^{*}The high risk and borderline risk of trisomy 21 or trisomy 18 requires further interventional prenatal diagnosis (from fetuses such as villus, amniotic fluid, cord blood, etc.); high risk of neural tube defect (NTD), please go to ultrasound prenatal diagnosis qualified hospitals use ultrasound to exclude.

^{*}The risk of NTD is only calculated at 14-22 weeks.

^{*}The screening result with low risk only shows that the chance of this kind of congenital abnormality in your fetus is less, and the possibility of this kind of abnormality or other abnormalities cannot be completely ruled out. Please consult a doctor in time after you get the report, and the doctor will follow your Risks and other conditions (whether you are older than 35 years old, whether you have had more than one child with other deformities, or have other diseases such as tumors) are comprehensively considered to suggest whether you need to take further examination to confirm the diagnosis.